

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	143	712/37.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:39
S2	1100	711/103.ccls. or 711/211.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:41
S3	2113	365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S4	147	(pga or fpga or dfpga or dpga) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:51
S5	3215	712/37.ccls. or (711/103.ccls. or 711/211.ccls.) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:27
S6	4	(712/37.ccls. or (711/103.ccls. or 711/211.ccls.) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.)) and ((pga or fpga or dfpga or dpga) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/21 18:58
S7	2	"5640107".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/21 18:58
S8	2	"5628028".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/21 18:59
S9	2	"5465106".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:18

S10	2	"6460128".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:18
S11	150	712/37.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:19
S12	1411	711/103.ccls. or 711/211.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:19
S13	2343	365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:19
S14	672	(pga or fpga or dfpga or dpga or (program\$6 with array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eeprom or rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:52
S15	3011	326/37-41.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S16	6703	712/37.ccls. or (711/103.ccls. or 711/211.ccls. ) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls. ) or 326/37-41.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:47
S17	20077	(mux or multiplex\$3 or selector) same (prom or eeprom or flash or eeprom or rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:29
S18	4318	326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49
S19	389	(pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eeprom or rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:09

S20	8006	712/37.ccls. or (711/103.ccls. or 711/211.ccls. ) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls. ) or (326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:48
S21	81	((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)) and (712/37.ccls. or (711/103.ccls. or 711/211.ccls. ) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls. ) or (326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:49
S22	50	((((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)) and (712/37.ccls. or (711/103.ccls. or 711/211.ccls. ) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls. ) or (326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.))) and (@ad<="19990811" or @rlad<="19990811"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 13:50
S23	43	(configur\$6 or schema) and (((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)) and (712/37.ccls. or (711/103.ccls. or 711/211.ccls. ) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls. ) or (326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.))) and (@ad<="19990811" or @rlad<="19990811"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:53
S24	978	program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:54

S25	13	(program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) ) and ((configur\$6 or schema) and (((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)) and (712/37.ccls. or (711/103.ccls. or 711/211.ccls. ) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls. ) or (326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.))) and (@ad<="19990811" or @rlad<="19990811")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 13:49
S26	1	"4879688".PN.	USPAT	OR	OFF	2004/10/22 13:45
S27	1	"4879688".PN.	USPAT	OR	OFF	2004/10/22 13:45
S28	1	"5148527".PN.	USPAT	OR	OFF	2004/10/22 13:47
S29	1	"5426378".PN.	USPAT	OR	OFF	2004/10/22 13:47
S30	1	"5426379".PN.	USPAT	OR	OFF	2004/10/22 13:48
S31	1	"5670897".PN.	USPAT	OR	OFF	2004/10/22 13:49
S32	819	713/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 13:49
S33	15	(program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) ) and 713/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:08
S34	7	((program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) ) and 713/100.ccls.) and (@ad<="19990811" or @rlad<="19990811")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:13
S35	10	baier-heinz\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:51
S36	1	baier-heinz\$.in. and (program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 14:03

S37	2138	710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49
S38	1355	711/170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:08
S39	2286	713/1-2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:50
S40	990	(program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:31
S41	5354	(710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:09
S42	38	((program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) ) ) and ((710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:33
S43	391	(pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:10
S44	0	((((program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) ) ) and ((710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.)) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:10

S45	11	((710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:32
S46	9	((710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom) )) and (@ad<="19990811" or @rlad<="19990811")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:56
S47	1174	((program\$6 or writ\$3 or stor\$3) same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:54
S48	60	((program\$6 or writ\$3 or stor\$3) same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) ) ) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:32
S49	29	((program\$6 or writ\$3 or stor\$3) same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) ) ) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom) )) and (@ad<="19990811" or @rlad<="19990811")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:33

S50	0	((((program\$6 or writ\$3 or stor\$3) same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom) ) ) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom) )) and (@ad<="19990811" or @rlad<="19990811")) and ((710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:22
S51	2	"6408357".pn. and operating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:30
S52	1	"6408357".pn. and board	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:30
S49 3	3350	711/103.ccls. or 711/211.ccls. or 711/159.ccls. or 711/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:47
S49 4	154	712/37.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:47
S49 5	2453	365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S49 7	4563	326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49

S49 8	2303	710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49
S49 9	2961	713/1-2.ccls. or 713/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:50
S50 0	10	baier-heinz\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:51
S50 1	710	(pga or fpga or dfpga or dpga or (program\$6 with array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:27
S50 2	235	(pga or fpga or dfpga or dpga) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:27
S50 3	1164	program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:57
S50 4	14753	S493 or S494 or S495 or S497 or S498 or S499	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:55
S50 5	168	S504 and S501	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:30
S50 6	118	S505 and (@ad<="19990811" or @rlad<="19990811")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:26



S507	23	S506 and S503	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:31
S510	3854	(pga or fpga or dfpga or dpga or (program\$6 with array)) same (mux or multiplex\$3 or select\$3 or switch\$3) same (prom or eeprom or flash or eprom or rom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:29
S511	634	S504 and S510	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:30
S513	473	S511 and (@ad<="19990811" or @rlad<="19990811")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:27
S514	53	S513 and S503	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:31
S515	30	S514 not S507	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:21
S516	1	S500 and S510	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:25
S518	36	S501 same S503	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:26

S52 0	15	S518 and (@ad<="19990811" or @riad<="19990811")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:27
----------	----	--	---	----	----	------------------